

Cordless Angle Grinder DGA521 / DGA520 125 mm (5")





Just One Click







JUST ONE CLICK TO ATTACH THE **ACCESSORIES AND EASY REMOVAL** JUST SIMPLY PULL THE LEVER







No need to worry about any losable parts. X-LOCK mechanism ensures that the accessory is properly mounted to the tool even without

nut, flange, and spanner.



No need to worry about downtime of installing and removing the accessories.

Improve your work efficiency and work environment!





New toolless wheel cover (Slide lever style)




No need to worry about disturbing by nuts even when flat grinding.



No need to worry about over-tightening or lack of tightening of nut. X-LOCK accessories are firmly attached and cannot be mounted

incorrectly.





Accessories

X-LOCK wheels The following 4 wheel types

Grinding wheel /

125mm E-00393(EN)



Thin Cut-off wheel 125mm E-00418(EN)



Grinding wheel /



Diamond wheel / concrete 125mm E-02076



Dust Collection wheel guard for Diamond wheel

191G05-4



Wheel cover

for abrasive cut-off wheel

125mm 162708-5

Anti-vibration grip

Part No. 194514-0 Part No. 162258-0



Charging Time

18V	DC18RC	DC18SD
BL1815N 1.5Ah	15 min	30 min
BL1820B 2.0Ah	24 min	45 min
BL1830B 3.0Ah	22 min	60 min
BL1840B 4.0Ah	36 _{min}	90 min
BL1850B 5.0Ah	45 min	110 min
BL1860B 6.0Ah	55 min	130 min

Cordless Angle Grinder

DGA521 / DGA520 125 mm (5")

Brake (DGA520) Soft Start

Dust Collection

Carrying Case

Wheel Diameter Hole Diameter
Max Wheel Thickness No Load Speed (RPM) Circumference of Grip Portion

Dimensions (L x W x H)

125 mm (5") 22.23 mm (7/8") 6 mm (1/4") 8,500 160 mm

w/BL1815N/BL1820B: 361x140x146 mm (14-1/4"x5-1/2"x5-3/4") w/ BL1830B / BL1840B / BL1850B / BL1860B: 375x140x146 mm (14-3/4"x5-1/2"x5-3/4")

2.4 - 3.0 kg (5.3 - 6.6 lbs.) Net weight

Standard Equipment: Grinding Wheel, Toolless Wheel Cover, Side Grip, Battery, Charger

The weight may differ depending on the attachment(s), including the battery cartridge. The lightest and heaviest combination, according to EPTA-Procedure 01/2014, are shown in the table. Items of standard equipment and specifications may vary by country or area.

Makita Corporation